

# Advances Computational Econometrics. Chapter 6: Kernel-based classification and regression

Thierry Denoeux

2023-05-19

## Exercise 1

We first load package `kernlab` and read the data file:

```
library(kernlab)
credit<-read.csv('/Users/Thierry/Documents/R/Data/Economics/Greene/TableF7-3.csv',
                 sep=",", header=TRUE)
```

We then split the data and declare the response variables as factors:

```
set.seed(9052022)
n<-nrow(credit)
ntrain<-10000
ntest<-n-ntrain
train<-sample(n,ntrain)
credit$CARDHLDR<-as.factor(credit$CARDHLDR)
credit$DEFAULT<-as.factor(credit$DEFAULT)
```

### Prediction of CARDHLDR


We create a new data frame without the four variables to be excluded:

```
credit1<-credit[,-c(2,12:14)]
credit1.train<-credit1[train,]
credit1.test<-credit1[-train,]
y.test<-credit1.test$CARDHLDR
```

Let us first consider a linear classifier. We tune hyper-parameter  $C$  by 5-fold cross-validation:

```
CC<-c(0.001,0.01,0.1,1)
N<-length(CC)
err<-rep(0,N)
for(i in 1:N) err[i] <- cross(ksvm(CARDHLDR~., data=credit1.train, scaled=TRUE,
                                      kernel="vanilladot", C=CC[i], cross=5))

## Setting default kernel parameters
plot(CC,err, type="b", log="x", xlab="C", ylab="CV error")
```



We then fit the model with the minimum-error value of  $C$ , and compute the test error rate:

```
Cmin<-CC[which.min(err)]
fit<-ksvm(CARDHLD~., data=credit1.train, scaled=TRUE, kernel="vanilladot", C=Cmin)

## Setting default kernel parameters
pred<-predict(fit, newdata=credit1.test)
1-mean(y.test==pred)


## [1] 0.170151
```

We now try a nonlinear SVM with an RBF kernel. Hyperparameter  $\sigma$  for the kernel is determined automatically by function `ksvm` using a heuristic rule:

```
CC<-c(0.01,0.1,1,10)
N<-length(CC)
err<-rep(0,N)
for(i in 1:N){
  print(i)
  err[i]<-cross(ksvm(CARDHLD~., data=credit1.train, scaled=TRUE,
                       kernel="rbfdot", C=CC[i], cross=5))
}

## [1] 1
## [1] 2
## [1] 3
## [1] 4

plot(CC,err,type="b",log="x",xlab="C",ylab="CV error")
```



Again, we fit the model on the whole training data with the best value of  $C$ :

```
fit <- ksvm(CARDHLDR~., data=credit1.train, scaled=TRUE, kernel="rbfdot", C=1)
pred<-predict(fit,newdata=credit1.test)
1-mean(y.test==pred)

## [1] 0.1626016
```

The test error rate is only slightly less than that of the linear SVM. As a comparison, we can try a logistic regression classifier:

```
fit.lr<-glm(CARDHLDR~., data=credit1.train, family="binomial")
pred.lr=predict(fit.lr,newdata=credit1.test,type="response")
yhat<-as.numeric(pred.lr>0.5)
1-mean(y.test==yhat)

## [1] 0.1649245
```

The performance of logistic regression is similar in this case.

## Prediction of DEFAULT

We create a new data frame `credit2` containing only the observations for which variable `CARDHLDR` has value `TRUE`, and without variable ‘`CARDHLDR`’. We then split the data:

```
ii<-which(credit$CARDHLDR==1)
credit2<-credit[ii,-1]
n<-nrow(credit2)
ntrain<-5000
ntest<-n-ntrain
train<-sample(n,ntrain)
credit2.train<-credit2[train,]
credit2.test<-credit2[-train,]
y.test<-credit2.test$DEFAULT
```

We can see that there are about ten times more observations from the negative class than observations from the positive class:

```
table(credit2$DEFAULT)
```

```
##  
##      0      1  
## 9503  996
```

We say that the data are imbalanced. A classifier always predicting the negative class (no default) will have an error rate as low as  $996/(9503+996)=0.0949$ . A nonlinear SVM with  $C = 1$  does not do better than that:

```
fit<-ksvm(DEFAULT~.,data=credit2.train,scaled=TRUE,kernel="rbfdot",C=1)  
pred<-predict(fit,newdata=credit2.test)  
table(y.test,pred)
```

```
##          pred  
## y.test      0      1  
##          0 4967    0  
##          1  532    0  
1-mean(y.test==pred)
```

```
## [1] 0.09674486
```

We  $C = 1000$ , we get a higher error rate, but a better balance between false positive and false negative rate:


```
fit<-ksvm(DEFAULT~.,data=credit2.train,scaled=TRUE,kernel="rbfdot",C=1000)  
pred<-predict(fit,newdata=credit2.test)  
table(y.test,pred)
```

```
##          pred  
## y.test      0      1  
##          0 4718   249  
##          1  476    56  
1-mean(y.test==pred)
```

```
## [1] 0.1318422
```

We can plot the ROC curve of this classifier:

```
library(pROC)  
pred<-predict(fit,newdata=credit2.test,type="decision")  
roc.svm<-roc(response=y.test,predictor=pred)  
plot(roc.svm)
```



This curve can be compared to that of a logistic regression classifier:

```
fit.lr<-glm(DEFAULT~.,data=credit2.train,family="binomial")
pred.lr=predict(fit.lr,newdata=credit2.test,type="response")
roc.log<-roc(response=y.test,predictor=pred.lr)

## Setting levels: control = 0, case = 1
## Setting direction: controls < cases
plot(roc.svm)
plot(roc.log,add=TRUE,col="blue")
```